



Bombardier Recreational Products  
10101 Science Drive  
Sturtevant, WI 53177  
www.evinrude.com



Capelli Boats  
Via delle industrie. 19  
26020 Spinadesco-Cremona (Italy)

www.cantiericapelli.com

### 2008 Capelli 500 Open



BOAT	
2008 Capelli 500 Open	
Material:	Fiberglass
Length:	16'
Beam:	6' 6"
Weight w/o Engine:	992 LBS Dry
Maximum HP:	100 HP
Fuel Capacity:	6 Gallons
Transom height:	20" Shaft
Steering:	Cable

ENGINE	
2008 Evinrude® 50 HP ETEC®	
Engine Type:	2 Cyl
Horsepower:	50 HP @ 5750 RPM
Displacement:	52.7 CU. IN.
Induction:	ETEC DFI
Operating Range:	5500-6000 RPM
Weight:	240 LBS Dry Weight
Gear Ratio:	2.67:1

PROPELLER	
BRP	
Material:	Aluminum
Diameter/Pitch:	13 3/4" x 15"
No. of Blades:	3
Part Number:	763466
MOUNTING HEIGHT	
Hole Position:	2
Jack Plate:	N/A
Propshaft Height:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
850	2.8	0.10	27.9	151
1000	3.3	0.10	33.1	179
1500	4.7	0.29	16.3	88
2000	6.0	0.50	12.1	65
2500	7.0	1.03	6.8	37
3000	9.7	1.38	7.0	38
3500	14.8	1.69	8.8	47
4000	19.1	2.06	9.3	50
4500	22.9	2.48	9.2	50
<b>5000</b>	<b>26.3</b>	<b>2.77</b>	<b>9.5</b>	<b>51</b>
5725	30.9	3.92	7.9	43
Range (Miles) Based on 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Light Chop
Wind Velocity:	5 MPH
Air Temperature:	80° F
Fuel Load:	6 Gallons
Weight:	1 man, fuel, test & safety gear

PERFORMANCE SUMMARY	
Top Speed:	<b>30.9 MPH</b>
Best Fuel Efficiency:	<b>9.5 MPG with a range of 51 miles @ 26.3 MPH</b>
Acceleration:	<b>3.5 seconds to plane</b>



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2007 BRP US Inc. All rights reserved.

™ ® Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

