



Bombardier Recreational Products
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Mako
2500 E. Kearney
Springfield, MO 65803
Tel: 417-873-4555
www.mako-boats.com

2006 Mako 264 CC



BOAT	
2006 Mako 264 CC	
Material:	Fiberglass
Length:	26'
Beam:	9' 2"
Weight w/o Engine:	4500 LBS Dry
Maximum HP:	450 HP
Fuel Capacity:	194 Gallons
Transom height:	.25" Shaft
Steering:	Hydraulic

ENGINE	
2006 Evinrude® 200 HP ETEC® Twin	
Engine Type:	60° V6
Horsepower:	200 HP @ 5250 RPM
Displacement:	158 Cu. In.
Induction:	ETEC DFI
Operating Range:	4650-5850 RPM
Weight:	427 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
BRP Rebels	
Material:	Stainless Steel
Diameter/Pitch:	15.5" x 17"
No. of Blades:	3
Part Number:	763568/763569
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.9	0.36	8.0	1375
1000	5.5	0.68	8.2	1394
1500	7.5	3.29	2.3	387
2000	8.5	5.73	1.5	255
2500	10.6	8.36	1.3	216
3000	23.1	10.45	2.2	378
3500	28.5	13.04	2.2	374
4000	34.3	16.69	2.1	351
4500	38.9	21.34	1.8	312
5000	42.6	26.94	1.6	270
5500	#	#	#	#
5850	48.6	35.67	1.4	233

Fuel data based on twin engines Range based on 90% fuel tank

TEST CONDITIONS	
Water Conditions:	Light Chop
Wind Velocity:	10 MPH
Air Temperature:	60° F
Fuel Load:	194 Gallons Full
Weight:	2 Men (400 lbs.) Fuel, Test gear 50 lbs.

PERFORMANCE SUMMARY	
Top Speed:	48.6 MPH
Best Fuel Efficiency:	2.2 MPG with a range of 374 miles @ 28.5 MPH



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2006 BRP US Inc. All rights reserved.

™ ® Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

