



Bombardier Recreational Products
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Twin Vee, Inc.
3101 South Federal Highway
Ft. Pierce, FL 34982
772-429-2525
www.twinvee.com



2008 Twin Vee 29 CC

BOAT	
2008 Twin Vee 29 CC Cat	
Material:	Fiberglass
Length:	29'
Beam:	9' 10"
Weight w/o Engine:	4,950 LBS Dry
Maximum HP:	600 HP
Fuel Capacity:	270 Gallons
Transom height:	.25" Shaft
Steering:	Hydraulic

ENGINE	
2008 Evinrude® 300 HP ETEC® Twin	
Engine Type:	Loop-Charged 90° V 6
Horsepower:	300HP @ 5350
Displacement:	210 CC
Induction:	ETEC DFI
Operating Range:	5000-6000 RPM
Weight:	528 LBS Dry Weight
Gear Ratio:	1.84:1

PROPELLER	
BRP Viper™	
Material:	Stainless Steel
Diameter/Pitch:	14.75" x 21"
No. of Blades:	3
Part Number:	RH 763922 / LH 763923
MOUNTING HEIGHT	
Hole Position:	#3
Jack Plate:	T & H Hydro Jack
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.9	0.36	8.0	1592
1000	6.3	1.41	4.4	881
1500	8.6	3.13	2.7	543
2000	11.6	8.91	1.3	258
2500	17.9	13.51	1.3	263
3000	23.8	15.48	1.5	304
3500	29.2	18.99	1.5	304
4000	36.1	24.25	1.5	294
4500	40.8	31.78	1.3	254
5000	47.5	45.16	1.1	208
5500	51.3	52.86	1.0	192
5750	53.3	53.22	1.0	198
Range (Miles) Based on 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	1-3 ft Chop
Wind Velocity:	15 MPH
Air Temperature:	72° F
Fuel Load:	270 Gallons
Weight:	2 Men(450 lbs) Fuel, Test Gear ,2 Batt, T top

PERFORMANCE SUMMARY	
Top Speed:	53.3 MPH
Best Fuel Efficiency:	1.5 MPG with a range of 304 miles @ 29.2 MPH
Acceleration:	2.9 seconds to plane



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2008 BRP US Inc. All rights reserved.

™ ® Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

