



BULLETIN#: PE989

ENGINE: E150DSLAA

BOAT TYPE: Pontoon

DATE OF TEST: 9/17/12



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Nautic Global Group
4500 Middlebury Street
Elkhart, IN 46516
574-522-8381
www.aquapatioboats.com



2013 Aqua Patio AP 220

BOAT	
2013 Aqua Patio AP 220	
Material:	Aluminum
Length:	23' 1"
Beam:	8' 6"
Weight w/o Engine:	3078 LBS Dry
Maximum HP:	200 HP
Fuel Capacity:	30 gallons
Transom Height:	20" Shaft
Steering:	Hydraulic

ENGINE	
2013 Evinrude® ETEC® 150 HP	
Engine Type:	60° V6
Horsepower:	150 HP @ 5350 RPM
Displacement:	158 Cu In
Induction:	ETEC DFI
Operating Range:	4850-5850 RPM
Weight:	418 LBS Dry Weight
Gear Ratio:	1.86:1

PROPELLER	
BRP Viper™	
Material:	Stainless Steel
Diameter/Pitch:	14 3/4" x 16"
No. of Blades:	3
Part Number:	763912
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	N/A
Motor Height	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.0	0.18	10.8	293
1000	4.0	0.50	7.9	213
1500	5.5	1.10	5.0	134
2000	7.0	1.95	3.6	96
2500	9.3	3.30	2.8	76
3000	16.8	4.40	3.8	103
3500	21.2	5.95	3.6	96
4000	27.6	7.65	3.6	97
4500	33.6	10.05	3.3	90
5000	37.8	12.35	3.1	83
5500	41.7	14.20	2.9	79
5700	42.3	15.10	2.8	76
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Calm
Wind Velocity:	5 MPH
Air Temperature:	73° F
Fuel Load:	1/2 Full
Weight:	1 Man, Fuel, test & safety gear

PERFORMANCE SUMMARY	
Top Speed:	42.3 MPH
Best Fuel Efficiency:	3.8 MPG with a range of 103 Miles @ 16.8 MPH
Acceleration:	3.1 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

