



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Nautic Global Group
4500 Middlebury Street
Elkhart, IN 46516
574-522-8381
www.aquapatioboats.com



2013 Aqua Patio AP 240

BOAT	
2013 Aqua Patio AP 240	
Material:	Aluminum
Length:	25' 1"
Beam:	8' 6"
Weight w/o Engine:	2590 LBS Dry
Maximum HP:	250 HP
Fuel Capacity:	30 gallons
Transom Height:	25" Shaft
Steering:	Hydraulic

ENGINE	
2013 Evinrude® ETEC® 250 HP	
Engine Type:	90° V6
Horsepower:	250 HP @ 5150 RPM
Displacement:	3.3.Litre
Induction:	ETEC DFI
Operating Range:	4500-5800 RPM
Weight:	524 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
BRP Viper™	
Material:	Stainless Steel
Diameter/Pitch:	14 3/4" x 17"
No. of Blades:	3
Part Number:	763914
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	N/A
Motor Height:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.1	0.21	9.8	407
1000	4.0	0.70	5.7	237
1500	5.9	1.70	3.4	141
2000	8.0	2.60	3.1	129
2500	13.7	5.40	2.5	104
3000	18.5	7.10	2.6	108
3500	22.0	8.45	2.6	108
4000	26.0	10.45	2.5	104
4500	31.0	12.30	2.5	104
5000	36.2	15.80	2.3	95
5500	41.5	19.85	2.1	87
5750	44.2	22.60	2.0	83
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 MPH
Air Temperature:	58° F
Fuel Load:	1/2 Full
Weight:	1 Man, Fuel, test & safety gear

PERFORMANCE SUMMARY	
Top Speed:	44.2 MPH
Best Fuel Efficiency:	2.6 MPG with a range of 108 Miles @ 22.0 MPH
Acceleration:	3.0 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

