

EVINRUDE

E-TEC

PERFORMANCE REPORT

BULLETIN #: 1153
ENGINE 1: E200XHAGA

BOAT TYPE: Heavy-Gauge
 Welded Aluminum

DATE OF TEST: 8/26/2015



BRP US, Inc.
 10101 Science Drive
 Sturtevant, WI 52177
www.evinrude.com



Hewescraft
 2600 North Highway
 Colville, WA 99114
 509-684-5235
www.hewescraft.com

2015 Hewescraft 190 Sea Runner HT

BOAT

2015 Hewescraft 190 Sea Runner HT

Material	Aluminum
Length	19' 6"
Beam	8'
Weight w/o Engine	2200 LBS
Maximum HP	200 HP
Fuel Capacity	60 Gallons
Transom Height	25"
Steering	DPS

ENGINE

Evinrude E-TEC G2 200 H.O.

Engine Type	74° V-6
Horsepower	200 H.O.
Displacement	3.4L
Induction	E-TEC DI
Operating Range	5400 - 6000 RPM
Weight	558 LBS Dry Weight
Gear Ratio	1.85:1

PROPELLER

Evinrude® Rebel™

Material	Stainless
Diameter/Pitch	15 1/4" x 19"
No. of Blades	3
Part Number	763990

MOUNTING HEIGHT

Hole Position	#1
Jack Plate	No
AV Mounting	N/A

PERFORMANCE DATA

RPM	MPH	GPH	MPG	RANGE
500	3.15	0.20	15.75	851
1000	6.05	0.60	10.08	545
1500	8.05	1.40	5.75	311
2000	11.05	2.55	4.33	234
2500	15.90	3.65	4.36	235
3000	25.20	4.90	5.14	278
3500	31.40	6.80	4.62	249
4000	36.40	9.00	4.04	218
4500	41.40	11.00	3.76	203
5000	46.25	14.70	3.15	170
5500	48.75	16.45	2.96	160
5600	49.00	16.55	2.96	160

TEST CONDITIONS

Water Conditions	Sight Chop
Wind Velocity	3 MPH
Air Temperature	70° F
Fuel Load	40 Gallons
Weight	Two Adults and safety gear

PERFORMANCE SUMMARY

Top Speed	49 MPH
Best Fuel Efficiency	5.14 MPG For 278 Miles @ 25.20 MPH
Acceleration	3.5 seconds to plane

Fuel Data Range (Miles) Based On 90% Fuel Capacity



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2015 BRP US Inc. All rights reserved. ™ ® and the BPR logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

EVINRUDE
 E-TEC

