



BULLETIN #: PE998

ENGINE: E150HSLAA

BOAT TYPE: Pontoon

DATE OF TEST: 8/7/12



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



JC Manufacturing Inc.
7248 St Road 13 N.
North Webster, IN 46555
574-834-2881
www.jcpontoon.com



2013 JC Neptoon Sport 23TT

BOAT	
2013 JC Neptoon Sport 23TT	
Material:	Aluminum
Length:	23'
Beam:	8' 6"
Weight w/o Engine:	2290 LBS Dry
Maximum HP:	250 HP
Fuel Capacity:	45 Gallons
Transom Height:	20" Shaft
Steering:	Hydraulic

ENGINE	
2013 Evinrude® 150 HO ETEC®	
Engine Type:	60° V6
Horsepower:	Factory Tuned
Displacement:	158 Cu In
Induction:	ETEC DFI
Operating Range:	4850-5850 RPM
Weight:	418 LBS Dry Weight
Gear Ratio:	1.86:1

PROPELLER	
BRP Viper®	
Material:	Stainless Steel
Diameter/Pitch:	14 3/4 x 16"
No. of Blades:	3
Part Number:	763912
MOUNTING HEIGHT	
Hole Position:	#1
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	1.9	0.18	10.6	428
1000	4.1	0.50	8.2	332
1500	5.5	1.10	5.0	201
2000	7.2	2.05	3.5	142
2500	9.8	3.45	2.8	114
3000	15.0	4.50	3.3	135
3500	19.6	5.95	3.3	133
4000	24.2	7.40	3.3	132
4500	30.2	9.80	3.1	125
5000	34.8	12.50	2.8	113
5500	38.9	14.75	2.6	107
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Lite Chop
Wind Velocity:	5 MPH
Air Temperature:	78° F
Fuel Load:	3/4 Full
Weight:	2 Men, Fuel, Safety/Test Gear

PERFORMANCE SUMMARY
Top Speed: 38.9 MPH
Best Fuel Efficiency: 3.3 MPG with a range of 135 Miles @ 15.0 MPH
Acceleration: 4.1 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2009 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

