



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



JC Manufacturing Inc.
7248 St Road 13 N.
North Webster, IN 46555
574-834-2881
www.jcpontoon.com



2014 JC SportToon 26TT

BOAT	
2014 JC Pontoon SportToon 26TT	
Material:	Aluminum
Length:	26' 7"
Beam:	8' 6"
Weight w/o Engine:	3100 LBS Dry
Maximum HP:	250 HP
Fuel Capacity:	45 Gallons
Transom Height:	20" Shaft
Steering:	Hydraulic

ENGINE	
Evinrude® 250 HO ETEC®	
Engine Type:	90° V6
Horsepower:	Factory Tuned
Displacement:	3.4 Litre
Induction:	ETEC DFI
Operating Range:	5500-6000 RPM
Weight:	518 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
BRP Rebel®	
Material:	Stainless Steel
Diameter/Pitch:	15 3/8" x 18"
No. of Blades:	3
Part Number:	763988
MOUNTING HEIGHT	
Hole Position:	#1
Jack Plate:	N/A
Pontoons:#	3/TriToon

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.4	0.18	13.2	536
1000	5.1	0.64	8.0	324
1500	6.9	1.42	4.8	195
2000	9.6	3.50	2.8	111
2500	15.0	5.43	2.8	112
3000	19.7	7.38	2.7	108
3500	24.9	9.18	2.7	110
4000	30.1	11.94	2.5	102
4500	36.6	15.77	2.5	94
5000	40.1	19.67	2.0	83
5500	45.0	25.47	1.8	72
5775	46.4	25.87	1.8	73
<i>Range (Miles) Based On 90% Fuel Capacity</i>				

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 MPH
Air Temperature:	70° F
Fuel Load:	3/4 Full
Weight:	2 Men, Fuel, Safety/Test Gear

PERFORMANCE SUMMARY
Top Speed: 46.4 MPH
Best Fuel Efficiency: 2.7 MPG with a range of 110 Miles @ 24.9 MPH
Acceleration: 4.02 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2013 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

