

EVINRUDE

E-TEC

PERFORMANCE REPORT

BULLETIN #: 1210
ENGINE 1: E250LH

BOAT TYPE: Pontoon

DATE OF TEST: 7/21/2016



BRP US, Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com

LANDAU

C.R.C. DEVELOPMENT CO/ DBA:
LANDAU
2000 EVERGREEN PARKWAY
LEBANON, MISSOURI 65536
417-532-9126
www.landauboats.com
ATLANTIS 250

BOAT	
ATLANTIS 250	
Material	Aluminum
Length	25'
Beam	8.5'
Weight w/o Engine	2392 LBS
Maximum HP	250 HP
Fuel Capacity	38 Gallons
Transom Height	20"
Steering	DPS

ENGINE	
Evinrude® E-TEC® G2™ 250 H.O.	
Engine Type	74° V-6
Horsepower	250 H.O.
Displacement	210 cu in/3441 cc
Induction	E-TEC DI
Operating Range	5400-6000 RPM
Weight	545 LBS Dry Weight
Gear Ratio	1.85:1

PROPELLER	
REBEL TBX™	
Material	Stainless
Diameter/Pitch	15 1/8" X 20"
No. of Blades	3
Part Number	763992
Prop Vent Hole	NA
MOUNTING HEIGHT	
Hole Position	#2
Jack Plate	No
AV Mounting	0

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.45	0.31	7.90	270
1000	5.25	0.78	6.73	230
1500	7.85	1.90	4.13	141
2000	12.25	4.25	2.88	99
2500	17.60	5.55	3.17	108
3000	20.90	7.15	2.92	100
3500	25.80	9.55	2.70	92
4000	31.95	14.00	2.28	78
4500	39.20	16.20	2.42	83
5000	43.95	21.50	2.04	70
5500	49.30	22.30	2.21	76
5832	50.15	23.05	2.18	74

TEST CONDITIONS	
Water Conditions	LITE CHOP
Wind Velocity	10 MPH
Air Temperature	95° F
Fuel Load	38 Gallons
Weight	2 ADULTS & SAFETY GEAR

PERFORMANCE SUMMARY	
Top Speed	50.2 MPH
Best Fuel Efficiency	3.17 MPG For 108 Miles @ 17.60 MPH
Acceleration	6.2 seconds to plane

Fuel Data Range (Miles) Based On 90% Fuel Capacity



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2015 BRP US Inc. All rights reserved. ™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

EVINRUDE
E-TEC

