



BULLETIN #: PE930

ENGINE: E115DSLAA

BOAT TYPE: Pontoon

DATE OF TEST: 7/23/12



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



Triton Industries, Inc.
7800 Northport Dr.
Lansing, MI 48917
517-322-3822

www.manitouboats.com



2013 23 Oasis SE

BOAT	
2013 23 Oasis SE	
Material:	Aluminum
Length:	24' 11"
Beam:	8' 6"
Weight w/o Engine:	2260 Lbs
Maximum HP:	130 HP
Fuel Capacity:	24 Gallons
Transom Height:	20" Shaft
Steering:	Cable

ENGINE	
2013 Evinrude® 115 ETEC®	
Engine Type:	60° V6
Horsepower:	115 @ 5750 RPM
Displacement:	105.4 Cu In
Induction:	ETEC DFI
Operating Range:	5500-6000 RPM
Weight:	375 LBS Dry Weight
Gear Ratio:	2.00:1

PROPELLER	
BRP™	
Material:	Aluminum
Diameter/Pitch:	13 3/4 x 13"
No. of Blades:	3
Part Number:	765181
MOUNTING HEIGHT	
Hole Position:	#1
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	1.9	0.18	10.6	229
1000	2.9	0.29	10.1	219
1500	4.2	0.66	6.4	139
2000	5.8	1.09	5.3	114
2500	7.2	1.70	4.3	92
3000	8.9	2.47	3.6	78
3500	12.1	4.22	2.9	62
4000	14.7	5.88	2.5	54
4500	16.8	6.93	2.4	53
5000	19.0	7.92	2.4	52
5550	20.8	9.10	2.3	49
6000	23.0	10.60	2.2	47
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 MPH
Air Temperature:	85° F
Fuel Load:	Full
Weight:	1 Man, Fuel, Safety/Test Gear

PERFORMANCE SUMMARY
Top Speed: 23.0 MPH
Best Fuel Efficiency: 2.9 MPG with a range of 62 Miles @ 12.1 MPH
Acceleration: 3.0 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

