



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Premier Marine Inc.
26612 Fallbrook Ave.
Wyoming, MN 55092
1-800-815-6392
www.pontoon.com



2014 Premier 221 Gemini

BOAT	
2014 Premier 221 Gemini	
Material:	Aluminum
Length:	22' 5"
Beam:	8' 6"
Weight w/o Engine:	1950 LBS Dry
Maximum HP:	115 HP
Fuel Capacity:	28 gallons
Transom Height:	20" Shaft
Steering:	Cable

ENGINE	
2014 Evinrude® 90 HP Pontoon Series	
Engine Type:	In Line 3 Cyl
Horsepower:	90 @ 5000
Displacement:	79.1 Cu In
Induction:	ETEC DFI
Operating Range:	4500-5500 RPM
Weight:	320 LBS Dry Weight
Gear Ratio:	2.36:1

PROPELLER	
BRP V ipper™	
Material:	Stainless Steel
Diameter/Pitch:	13 7/8 x 15"
No. of Blades:	3
Part Number:	763929
MOUNTING HEIGHT	
Hole Position:	#2
Pontoons #	Twain
Altitude	975 Ft

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
800	2.1	0.18	11.8	298
1000	3.3	0.28	11.8	298
1500	4.5	0.63	7.2	182
2000	5.8	1.12	5.2	131
2500	8.3	1.94	4.3	107
3000	12.0	2.67	4.5	113
3500	15.3	3.57	4.3	108
4000	17.5	4.78	3.7	92
4500	19.8	5.68	3.5	88
5150	23.5	7.74	3.0	77
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 MPH
Air Temperature:	70° F
Fuel Load:	Full
Weight:	2 Men, Fuel, test & safety gear

PERFORMANCE SUMMARY	
Top Speed:	23.5 MPH
Best Fuel Efficiency:	4.5 MPG with a range of 113 Miles @ 12 MPH
Acceleration:	4.0 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2013 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

