



BULLETIN#: PE911

ENGINE: E115DPLIN

BOAT TYPE: Aluminum

DATE OF TEST: 6/8/12



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



River Wolf Boats
8426 Old Highway 99 N.
Roseburg, Oregon 97470
866-813-8551
www.riverwolfboats.com



2012 Riverwolf 20ft Thin Water

BOAT	
2012 Riverwolf 20ft Thin Water	
Material:	Aluminum
Length:	20' 4"
Beam:	92"
Weight w/o Engine:	1575 LBS Dry
Maximum HP:	130 HP
Fuel Capacity:	26 Gallons
Transom Height:	26.5" Shaft
Steering:	Tiller

ENGINE	
2012 Evinrude® 115 ETEC®	
Engine Type:	60° V6
Horsepower:	115 @ 5750
Displacement:	104.5 cu in
Induction:	ETEC DFI
Operating Range:	5500-6000 RPM
Weight:	375 LBS Dry Weight
Gear Ratio:	Jet Pump

PROPELLER	
Jet Pump	
Material:	NA
Diameter/Pitch:	NA
No. of Blades:	NA
Part Number:	NA
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	NA
Transom Height	26.5"

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
600	1.1	0.10	10.5	242
1000	2.5	0.15	16.3	376
1500	3.8	0.50	7.6	175
2000	5.0	0.95	5.3	121
2500	5.9	1.45	4.1	94
3000	7.0	2.35	3.0	68
3500	7.7	4.50	1.7	39
4000	12.2	6.10	2.0	46
4500	20.6	7.60	2.7	62
5000	27.2	8.85	3.1	71
5500	31.1	11.90	2.6	60
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Calm
Wind Velocity:	0-5 MPH
Air Temperature:	55° F
Fuel Load:	3/4 Full
Weight:	3 People, Fuel, test & safety gear,

PERFORMANCE SUMMARY
Top Speed: 31.1 MPH
Best Fuel Efficiency: 3.1 MPG with a range of 71 Miles @ 27.2 MPH
Acceleration: 4.5 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2009 BRP US Inc. All rights reserved.

™ and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

