



BULLETIN #: PE949

ENGINE: E60DSLAA

BOAT TYPE: Pontoon

DATE OF TEST: 8/16/12



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com

Tahoe

Avalon & Tahoe Mfg
903 Michigan Avenue
Alma, MI 48801
1-989-463-2112

www.avalonpontoons.com



2013 Tahoe GT Cruise

BOAT	
2013 Tahoe GT Cruise	
Material:	Aluminum
Length:	18'
Beam:	8'
Weight w/o Engine:	1600 Lbs
Maximum HP:	60 HP
Fuel Capacity:	12 Gallons
Transom Height:	20" Shaft
Steering:	Hydraulic/Electric

ENGINE	
2013 Evinrude® 60 ETEC®	
Engine Type:	In Line 2 Cyl
Horsepower:	60 @ 5750 RPM
Displacement:	52.7 Cu In
Induction:	ETEC DFI
Operating Range:	5500-6000 RPM
Weight:	240 LBS Dry Weight
Gear Ratio:	2.67:1

PROPELLER	
BRP Hydrus	
Material:	Aluminum
Diameter/Pitch:	14 x 11"
No. of Blades:	3
Part Number:	177202
MOUNTING HEIGHT	
Hole Position:	#1
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
900	2.2	0.10	21.6	233
1000	2.4	0.13	18.8	203
1500	3.6	0.29	12.4	134
2000	4.4	0.46	9.5	102
2500	5.5	0.66	8.3	89
3000	6.8	1.05	6.4	70
3500	7.4	1.58	4.7	51
4000	8.8	2.01	4.4	47
4500	11.3	2.36	4.8	52
5000	13.7	2.61	5.2	57
5500	16.1	3.27	4.9	53
6000	18.0	4.09	4.4	48

Range (Miles) Based On 90% Fuel Capacity

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 MPH
Air Temperature:	75° F
Fuel Load:	3/4 Full
Weight:	2 Men, Fuel, Safety/Test Gear,

PERFORMANCE SUMMARY
Top Speed: 18.0 MPH
Best Fuel Efficiency: 6.4 MPG with a range of 70 Miles @ 6.8 MPH
Acceleration: 4.0 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

